

PHASE 2

KEYED NOTES
 KEYED NOTES AND INSTALLATION NOTES. INSTALL AND/OR CONSTRUCT THE FOLLOWING PER THE SPECIFICATIONS GIVEN OR REFERENCED AND THE DETAILS NOTED AND AS SHOWN ON THE CONSTRUCTION DRAWINGS.

- 1 PAVING, WALK, ETC.
- 2 GRAVEL SUB GRADE PREPARATION FOR FUTURE WALK PER CIVIL DRAWINGS
- 3 PARK BENCHES, REFER TO CIVIL DRAWINGS
- 4 WATER LINE VALVE/WATER METER
- 5 LIGHT POLE
- 6 ELECTRICAL BOX
- 7 FENCE, EXISTING OR NEW WITH 18" WIDE BY 6" DEEP CONCRETE MOW CURB
- 8 AREA FOR IRRIGATION BACKFLOW ASSEMBLIES, REFER TO IRRIGATION PLAN
- 9 LAWN OVER 4" LAYER OF APPROVED TOPSOIL
- 10 CONCRETE MOW CURBS, DETAIL "D1" & "D2" ON SHEET L-4, LANDSCAPE PLANTING & IRRIGATION DETAILS
- 11 SHRUB BED SHALL BE 12" DEPTH OF TOPSOIL, TOP DRESSED WITH A 4" LAYER OF STRINGY BARK MULCH OVER FINISH GRADE THAT HAS BEEN TREATED WITH "RONSTAR G" WEED PRE-EMERGENT AT LABEL RATE
- 12 WATER LEVEL OF POND AT 4643.5
- 13 COBBLE EDGE ALONG WATERS EDGE PER CIVIL DRAWINGS
- 14 LANDSCAPE BOULDERS
- 15 CREEK CHANNEL
- 16 STREAM BANK SEEDING, NON-IRRIGATED
- 17 ADD ALTERNATE, PROVIDE "D1" 9" X 6" CONCRETE MOW CURB BETWEEN POND COBBLE ROCK AND LAWN AREA

MATERIALS LEGEND
 LAWN, SOD OR SEED AS PER OWNER OVER 4" LAYER OF APPROVED TOPSOIL

CONCRETE CURBS
 THE FOLLOWING CONCRETE CURBS ARE INCLUDED WITH THE LANDSCAPE INSTALLATION AS NOTED ON PLAN. ALL CONCRETE WORK TO CONFORM TO HYRUM CITY CONSTRUCTION SPECIFICATIONS.

- D1 9" WIDE X 6" DEEP CONCRETE CURB (POUR IN PLACE) ON DETAIL SHEET L-4
- D2 18" WIDE X 6" DEEP CONCRETE CURB UNDER FENCE ON DETAIL SHEET L-4

BOULDERS
 THE LANDSCAPE BOULDERS TO BE APPROVED BY OWNER/LANDSCAPE ARCHITECT. SUBMIT SAMPLES FOR REVIEW AND APPROVAL. PLACE THE BEST LOOKING BOULDERS IN THE MOST VISIBLE AREAS. ALL BOULDER PLACEMENTS TO LOOK NATURAL. THE FOLLOWING IS AN APPROXIMATION OF BOULDER SIZES FOR PLACEMENTS.

SIZE IN FEET	BOULDERS
2.5 X 2 X 1.5	35
2 X 1.5 X 1	80
1 X 1 X .5	50
TOTAL	165

TREE PLANTING
 TREES PLANTED SHALL BE SET BACK AS NOTED FROM THE FOLLOWING IMPROVEMENTS:
 15' FROM A STREET LIGHT
 10' FROM A FIRE HYDRANT
 5' FROM A WATER SYSTEM VALVE

SGE ASSOCIATES, Inc.
 Landscape Architecture
 3333 S. 900 E., Suite 210
 Salt Lake City, UT. 84106
 (801) 918-0366
 serickson@sge-associates.com

STATE OF UTAH
 LANDSCAPE ARCHITECT
 No. 02074-5301
 04-21-11

PLANT SCHEDULE

DECIDUOUS TREES	BOTANICAL NAME / COMMON NAME	CONT	CAL	SIZE	QTY
ACE GIN	Acer ginnala "Flame" / Flame Amur Maple	5 gal			17
ACE EME	Acer platanoides "Emerald Queen" / Emerald Queen Maple	B # B	2" Cal		13
FRA CIM	Fraxinus pennsylvanica "Cimarron" / Green Ash	B # B	2" Cal		10
TIL RED	Tilia americana "Redmond" / Redmond American Linden	B # B	2" Cal		7
EVERGREEN TREES	BOTANICAL NAME / COMMON NAME	CONT	CAL	SIZE	QTY
JUN SCO	Juniperus scopulorum / Rocky Mountain Juniper	5 gal			7
PIN NIG	Pinus nigra / Austrian Black Pine	B # B		5-6'	1

COR HAL	BOTANICAL NAME / COMMON NAME	CONT	QTY
COR HAL	Cornus alba "Balthia" TM / Ivory Halo Dogwood	5 gal	8
JUN BL3	Juniperus horizontalis "Blue Chip" / Blue Chip Juniper	5 gal	17
PHY DI2	Physocarpus opulifolius "Diablo" / Diablo Ninebark	5 gal	20
SYM ALB	Symphoricarpos albus / Common White Snowberry	5 gal	13
SYM ORB	Symphoricarpos orbiculatus / Indian Currant	5 gal	24
SYR CHA	Syringa vulgaris "Charles Joly" / Charles Joly Lilac	5 gal	13

SHRUB AREAS	BOTANICAL NAME / COMMON NAME	CONT	QTY
	Prunus besseyi "Pawnee Buttes" / Sand Cherry	1 gal @ 60" oc	165


STREAM BANK SEEDING

POUNDS	SPECIES
1.0	ROCKY MT. WILDFLOWER MIX
2.0	HARD FESCUE
9.5	KENTUCKY BLUE GRASS
5.5	WHITE DUTCH CLOVER
	TOTAL

SEED BED TO BE ESTABLISHED BY SPREADING A 4 INCH LAYER OF TOPSOIL. IF FINISH GRADE OR TOPSOIL IS COMPACTED IT WILL BE TILLED OR DISK TO A DEPTH OF 4 INCHES. THE SEED BED SOIL WILL THEN BE LEVELLED WITH A WOOD FRAME OR DRAG TO CREATE A LEVEL SEEDING SURFACE. DURING GRADING, WASTE MATERIALS IN THE PLANTING AREAS SUCH AS WEEDS, ROCKS 2 INCHES AND LARGER, BUILDING MATERIALS, RUBBLE, WIRES, CANS, GLASS, LUMBER, STICKS, ETC., SHALL BE REMOVED FROM THE SITE. WEEDS SHALL BE DUG OUT BY THE ROOTS.

THE SEED SHALL BE SPREAD IN THE FALL FROM SEPTEMBER 1ST TO NOVEMBER 30TH OR FROM APRIL 1ST TO MAY 15TH IN THE SPRING. SOW SEED MIXTURE AT 2.5 LBS OF PURE LIVE SEED PER 100 SQ. FT. IN 2 DIRECTIONS WITH AN APPROVED MECHANICAL SEEDER (DRILL, SEEDER) AND OR BROADCAST SEED AND LIGHTLY HARROW SEED BED. APPLY 30-10-10 FERTILIZER AT LABEL RATE INCORPORATED INTO SEED BED PREPARATION. AREAS THAT ARE SUSCEPTIBLE TO EROSION SHALL BE HYDRO-MULCHED AT 1800 LBS PER ACRE WITH A WOOD FIBER MULCH AND TACKIFIER. SPRAY UNDER PRESSURE A MIXTURE OF WATER AND "SILVA-FIBER" OR EQUAL, AT THE RATE OF 1000 LBS AND 150 LBS OF "M-BINDER" TACKIFIER PER ACRE ONTO PREPARED, SEEDBED, AND FERTILIZED AREAS. FERTILIZER CAN BE APPLIED WITH THE WATER AND "SILVA-FIBER" MIXTURE IF DESIRED.

GRANITE SEED COMPANY
 1697 West 2100 North
 Lehi, Utah 84043
 801-768-4422



NO.	DATE	DESIGN	DRAWN	CHECKED	REVISIONS		
					NO.	DATE	BY
0	3/17/11	SGE	SGE				
1	03/28/2011	SGE	SGE				
2	04/21/2011	SGE	SGE				

HYRUM CITY CORPORATION
 SALT HOLLOW PARK - PHASE 1
 LANDSCAPE PLANTING PLAN



AQUA
 ENGINEERING, INC.
 533 W. 2600 S., SUITE 275 BOUNTIFUL, UT 84010
 PHONE (801) 298-1927
 FAX (801) 298-0153

DRAWING IS NOT TO SCALE IF BAR DOES NOT MEASURE 1"

SHEET
 L-1

C:\Users\Shawn\Documents\Drawings\Flea\Aqua\Engineering\Hyrum City\Planting Plan.dwg, 4/21/2011 2:42:10 PM
 W:\Hyrum\Special\City Projects\Salt Hollow Park\Phase 1\Plans\Site Plan.dwg